



BOLMEN



FLOOR SPRING

SERIES | 

二维码

WWW.BOMENG.COM


FLOOR SPRING SERIES

Around You Hardware Accessories Experts

BM-KD.84

HINGE PRECISE FLOOR SPRING

Closing force: 38Nm Container size: 305 x 107 x 42mm
 Opening angle: 90°—135° The maximum bearing weight: ≤150 kg
 Suitable for maximum wide door leaf: ≤1200 mm




BM-KD.7300

FLOOR SPRING SERIES



● **TECHONLOGICAL DATA** ● Yes— NO

Feature	Technological data	Feature
Suitable for maximum wide door leaf	≤2400mm	—
The maximum bearing weight	160 kg	—
Opening angle	90°–135°	●
Container size	Length 270mm	—
	Width 125mm	
	Height 65mm	




BM-KD.68

FLOOR SPRING SERIES



● **TECHONLOGICAL DATA** ● Yes— NO

Feature	Technological data	Feature
Suitable for maximum wide door leaf	≤900mm	—
The maximum bearing weight	≤100 kg	—
Opening angle	≤90°–135°	●
Container size	Length 249mm	—
	Width 107mm	
	Height 49mm	




BM-KD.7315

FLOOR SPRING SERIES



● **TECHONLOGICAL DATA** ● Yes— NO

Feature	Technological data	Feature
Suitable for maximum wide door leaf	≤1000mm	—
The maximum bearing weight	≤100 kg	—
Opening angle	90°–135°	●
Container size	Length 224mm	—
	Width 122mm	
	Height 56mm	




BM-KD.818

FLOOR SPRING SERIES



● **TECHONLOGICAL DATA** ● Yes— NO

Feature	Technological data	Feature
Suitable for maximum wide door leaf	≤1000mm	—
The maximum bearing weight	≤120 kg	—
Opening angle	90°–135°	●
Container size	Length 286mm	—
	Width 122mm	
	Height 52mm	




BM-KD.28

FLOOR SPRING SERIES



● **TECHONLOGICAL DATA** ● Yes... NO

Feature	Technological data	Feature	
Suitable for maximum wide door leaf	≤850mm	—	
The maximum bearing weight	≤90 kg	—	
Opening angle	90°–135°	●	
Container size	Length	249mm	—
	Width	118mm	
	Height	49mm	




BM-KD.1400

FLOOR SPRING SERIES



● **TECHONLOGICAL DATA** ● Yes... NO

Feature	Technological data	Feature	
Suitable for maximum wide door leaf	≤2500mm	—	
The maximum bearing weight	200 kg	—	
Opening angle	90°–135°	●	
Container size	Length	271mm	—
	Width	117mm	
	Height	57mm	




BM-KD.322

FLOOR SPRING SERIES



● **TECHONLOGICAL DATA** ● Yes... NO

Feature	Technological data	Feature	
Suitable for maximum wide door leaf	≤1200mm	—	
The maximum bearing weight	≤150 kg	—	
Opening angle	90°–135°	●	
Container size	Length	305mm	—
	Width	109mm	
	Height	44mm	




BM-KD.2400

FLOOR SPRING SERIES



● **TECHONLOGICAL DATA** ● Yes... NO

Feature	Technological data	Feature	
Suitable for maximum wide door leaf	≤2800mm	—	
The maximum bearing weight	300 kg	—	
Opening angle	90°–135°	●	
Container size	Length	309mm	—
	Width	124mm	
	Height	59mm	




BM-KD.8300

FLOOR SPRING SERIES



● **TECHONLOGICAL DATA** ● Yes... NO

Feature	Technological data	Feature
Suitable for maximum wide door leaf	≤2400mm	—
The maximum bearing weight	150 kg	—
Opening angle	90°	●
Container size	Length	288mm
	Width	131mm
	Height	52mm




BM-KD.222

FLOOR SPRING SERIES



● **TECHONLOGICAL DATA** ● Yes... NO

Feature	Technological data	Feature
Suitable for maximum wide door leaf	≤1000mm	—
The maximum bearing weight	≤120 kg	—
Opening angle	90°-135°	●
Container size	Length	287mm
	Width	122mm
	Height	50mm




BM-KD.300

FLOOR SPRING SERIES



● **TECHONLOGICAL DATA** ● Yes... NO

Feature	Technological data	Feature
Suitable for maximum wide door leaf	≤2400mm	—
The maximum bearing weight	100 kg	—
Opening angle	90°-135°	●
Container size	Length	258mm
	Width	125mm
	Height	49mm




BM-KD.38

FLOOR SPRING SERIES



● **TECHONLOGICAL DATA** ● Yes... NO

Feature	Technological data	Feature
Suitable for maximum wide door leaf	≤900mm	—
The maximum bearing weight	≤90 kg	—
Opening angle	90°	●
Container size	Length	249mm
	Width	107mm
	Height	49mm




BM-KD.75

FLOOR SPRING SERIES



● TECHNICAL DATA ● Yes—NO

Feature	Technological data	Feature	
Suitable for maximum wide door leaf	1200mm	—	
The maximum bearing weight	150 kg	—	
Opening angle	90°—180°	●	
Container size	Length	305mm	—
	Width	145mm	
	Height	52mm	




BM-KD.8300

FLOOR SPRING SERIES



● TECHNICAL DATA ● Yes—NO

Feature	Technological data	Feature	
Suitable for maximum wide door leaf	≤1000mm	—	
The maximum bearing weight	≤120 kg	—	
Opening angle	90°—120°	●	
Container size	Length	290mm	—
	Width	163mm	
	Height	52mm	




BM-KD.80

FLOOR SPRING SERIES



● TECHNICAL DATA ● Yes—NO

Feature	Technological data	Feature	
Suitable for maximum wide door leaf	1500mm	—	
The maximum bearing weight	300 kg	—	
Opening angle	90°—180°	●	
Container size	Length	340mm	—
	Width	105mm	
	Height	52mm	




BM-KD.680

FLOOR SPRING SERIES



● TECHNICAL DATA ● Yes—NO

Feature	Technological data	Feature
Suitable for maximum wide door leaf	≤2100mm	—
The maximum bearing weight	155 kg	—
Opening angle	90°/115°	●
The door closed speed is controlled by the adjusting valve	—	●
Closing force	34Nm	—
Pcs/Box	4Pcs	—



CONCEALED FLOOR SPRING SERIES

Around You Hardware Accessories Experts

BM-KD.J310



size: 190 x 72 x 42mm	Main materials: Die-cast aluminum stainless steel
The maximum bearing weight: 100 kg	Service life: 3000000-500000 times
Suitable for maximum wide door leaf: ≤1100mm	Scope of application: Frameless Glass doors

BM-KD.J310A

● Standard configuration list

size: 176 x 54 x 35mm

The maximum bearing weight: 100 kg

Suitable for maximum wide door leaf: 1000mm

Main materials: aluminum, stainless steel

Service life: 3000000-500000 times

Scope of application: framed wooden door glass doors



BM-KD.J310B

● Standard configuration list

size: 157 x 46 x 33mm

The maximum bearing weight: ≤90 kg

Suitable for maximum wide door leaf: ≤900mm

Main materials: aluminum, stainless steel

Service life: 3000000-500000 times

Scope of application: framed wooden door glass doors, wooden doors



BM-KD.J310C



● Standard configuration list

size:195 x 75 x 45mm

The maximum bearing weight: ≤120 kg

Suitable for maximum wide door leaf: ≤1100mm

Main materials: Die-cast aluminum stainless steel

Service life: 3000000-500000 times

Scope of application: Frameless Glass doors

BM-KD.J310D



● Standard configuration list

size:190 x 70x 42mm

The maximum bearing weight: ≤120 kg

Suitable for maximum wide door leaf: ≤1100mm

Main materials: aluminum, stainless steel

Service life: 3000000-500000 times

Scope of application: framed wooden door glass doors



BM-KD.MJ01

(patch fitting series)

● Standard configuration list

Main materials: aluminum alloy, stainless steel

Finish: polished/satin

Door Thickness: 10-12mm

Installation dimensions: 232x80mm

Applicable door weight: ≥100kg

Applicable scope: aluminum door, iron door

BM-KD.MJ02

(patch fitting series)

● Standard configuration list

Main materials: aluminum alloy, stainless steel

Finish: polished/satin

Door Thickness: 10-12mm

Installation dimensions: 232x80mm

Applicable door weight: ≥100kg

Applicable scope: aluminum door, iron door

PATCH FITTING SERIES

Around You Hardware Accessories Experts



BM-KD.010

- 1, Fit For Glass Thickness: 10mm, 12mm
- 2, Material: aluminum alloy, zinc-alloy, stainless steel cover plate
- 3, Surface Treatment: SSS, PSS, TI



BM-KD.020

- 1, Fit For Glass Thickness: 10mm, 12mm
- 2, Material: aluminum alloy, zinc-alloy, stainless steel cover plate
- 3, Surface Treatment: SSS, PSS, TI



BM-KD.030

- 1, Fit For Glass Thickness: 10mm, 12mm
- 2, Material: aluminum alloy, zinc-alloy, stainless steel cover plate
- 3, Surface Treatment: SSS, PSS, TI



BM-KD.040

- 1, Fit For Glass Thickness: 10mm, 12mm
- 2, Material: aluminum alloy, zinc-alloy, stainless steel cover plate
- 3, Surface Treatment: SSS, PSS, TI



BM-KD.050



BM-KD.060



BM-KD.070



BM-KD.080A



BM-KD.080B



BM-KD.080C



BM-KD.080D



BM-KD.090



BM-KD.090S



BM-KD.091



ELECTRIC DOORS ERIES

Around You Hardware Accessories Experts



BM-KD.AT03

Material	Aluminum
Max Door Width	Single door: 750-1600mm Double doors: 650-1250mm
Max Door Weigh	Single door: 150kg Double doors: 125kg x 2



BM-KD.AT01

Material	Aluminum
Max Door Width	Single door: 1000-2800mm Double doors: 1800-3800mm
Max Door Weigh	Single door: 300kg Double doors: 250kg x 2

DOOR CLOSE SERIES

Around You Hardware Accessories Experts



BM-KD.838

Max Door Width	830-950mm
Material	Aluminum
Max Door Weigh	40-65kg



BM-KD.828

Max Door Width	830-950mm
Material	Aluminum
Max Door Weigh	40-65kg



BM-KD.820

MOEEL	LOADING WEIGHT
820A	75-90kg
820B	55-65kg
820C	30-55kg
820D	20-45kg



BM-KD.816A

MOEEL	LOADING WEIGHT
816A	50-80kg
816B	35-55kg
816C	35-65kg



BM-KD.810

MOEEL	LOADING WEIGHT
810A	75-90kg
810B	55-65kg
810C	30-55kg
810D	20-45kg





BM-KD.398

Material:Stainless steel, Iron
Finish:Satin, Polished
Fit for door thickness:10-18mm
toughened glass



BM-KD.127

Material:Stainless steel, Iron
Finish:Satin, Polished
Fit for door thickness:10-18mm
toughened glass



BM-KD.128

Material:Stainless steel, Iron
Finish:Satin, Polished
Fit for door thickness:10-18mm
toughened glass



BM-KD.402

Material:Stainless steel, Iron
Finish:Satin, Polished
Fit for door thickness:10-18mm
toughened glass



BM-KD.L222

Material:Stainless steel, Iron
Finish:Satin, Polished
Fit for door thickness:10-18mm
toughened glass



BM-KD.388

Material:Stainless steel, Iron
Finish:Satin, Polished
Fit for door thickness:10-18mm
toughened glass



BM-KD.399

Material:Stainless steel, Iron
Finish:Satin, Polished
Fit for door thickness:10-18mm
toughened glass



BM-KD.406B

Material:Stainless steel, Iron
Finish:Satin, Polished
Fit for door thickness:10-18mm
toughened glass



BM-KD.403A

Material:Stainless steel, Iron
Finish:Satin, Polished
Fit for door thickness:10-18mm
toughened glass



BM-KD.403

Material:Stainless steel, Iron
Finish:Satin, Polished
Fit for door thickness:10-18mm
toughened glass



BM-KD.L111A

Material:Stainless steel, Iron
Finish:Satin, Polished
Fit for door thickness:10-18mm
toughened glass



SWING DOOR SERIES

Around You Hardware Accessories Experts



BM-KD.8300F-1M

Material:Stainless steel, Iron
Finish:Satin, Polished



BM-KD.8300F-2M

Material:Stainless steel, Iron
Finish:Satin, Polished



BM-KD.8300F-3M

Material:Stainless steel, Iron
Finish:Satin, Polished



BM-KD.800A3

Material:Stainless steel, Iron
Finish:Satin, Polished



BM-KD.800A2

Material:Stainless steel, Iron
Finish:Satin, Polished



BM-KD.800A1

Material:Stainless steel, Iron
Finish:Satin, Polished



BM-KD.8300D-1

Material:Stainless steel, Iron
Finish:Satin, Polished



BM-KD.8300C-11

Material:Stainless steel, Iron
Finish:Satin, Polished



BM-KD.800A5

Material:Stainless steel, Iron
Finish:Satin, Polished



BM-KD.800A4

Material:Stainless steel, Iron
Finish:Satin, Polished

SPRING HINGE SERIES

Around You Hardware Accessories Experts



BM-KD.4112-YYLM

Material:Stainless steel, Iron

Finish:Satin, Polished

Scope of application:Fireproof doors for bathrooms, door and window hardware,mechanical equipment, cabinet doors



BM-KD.4112-YR



BM-KD.4111-YR



BM-KD.4111-YYLM



BM-KD.4111-YRM

SPRING HINGE SERIES

Around You Hardware Accessories Experts



BM-KD.8001R



BM-KD.8002R

Material: Zinc alloy
 Finish: Spray painting, electroplating
 Scope of application: Invisible doors, wooden doors, folding doors, cabinet doors, and outward-opening hidden doors



BM-KD.8003R



BM-KD.8004R



BM-KD.8005R



BM-KD.8006R



BM-KD.8007R



BM-KD.8008R



BM-KD.8009R



BM-KD.8010R




BM-KD.8012R



BM-KD.8011R

SPRING HINGE SERIES

Material: Zinc alloy
 Finish: Spray painting, electroplating
 Scope of application: Invisible doors, wooden doors, folding doors, cabinet doors, and outward-opening hidden doors



Product parameters

Material: Finely cast stainless steel Surface treatment: glass, Sand surface
 Scope of application: toughened glass door Door thickness: 8-10mm



BM-KD.Y01



BM-KD.Y02



BM-KD.Y03



BM-KD.Y04



BM-KD.Y05



BM-KD.Y06



BM-KD.G01



BM-KD.G02



BM-KD.G03



BM-KD.G04



BM-KD.G05



BM-KD.G06

SHOWER HINGE SERIES

Around You Hardware Accessories Experts



STAIR HANDRAIL GUARDRAIL SERIES

Around You Hardware Accessories Experts



BM-KD.J310 BM-KD.J311

BM-KD.J312



BM-KD.J313 BM-KD.J314 BM-KD.J315 BM-KD.J316 BM-KD.J317 BM-KD.J318



BM-KD.J324 BM-KD.J325

BM-KD.-J319 BM-KD.J320 BM-KD.J321 BM-KD.J322 BM-KD.J323 BM-KD.J326 BM-KD.J327



BM-KD.9001



BM-KD.9002



BM-KD.9003



BM-KD.9004



BM-KD.9005



BM-KD.9006



BM-KD.9007



BM-KD.9008

TOWEL RACK SERIES

Around You Hardware Accessories Experts



BM-KD.1001



BM-KD.1002



BM-KD.1003



BM-KD.1004



SMALL HARDWARE SERIES

Around You Hardware Accessories Experts



BM-KD.8004R



BM-KD.8009R



BM-KD.9004R



BM-KD.8004



BM-KD.602K24



BM-KD.T112



BM-KD.609K2



BM-KD.602K19



BM-KD.9004DR



BM-KD.8009



BM-KD.9004



BM-KD.602K23



BM-KD.602K24



BM-KD.T112



BM-KD.608K



BM-KD.609K1



HANGING WHEEL SERIES

Around You Hardware Accessories Experts



BM-KD.G13



BM-KD.G7K



BM-KD.G88K



BM-KD.G6



BM-KD.G28



BM-KD.G29



BM-KD.G44



BM-KD.G45